


FEATURES

LINK is a compact 48V system that redefines the track lighting concept, offering a minimal design, quick installation and endless lighting configurations. The LINK is perfect for architectural or commercial projects.

Multiple accessories are available to create custom solutions.

TRACK ACCESSORIES INCLUDE:

- Power feed
- Straight, L and T connectors
- Recessed mounting kit
- Suspended mounting kit
- Linear, Cross, L and T connection plates



ACCESSORY	SPECIFICATION ORDER	PRODUCT ORDER CODES
	POWER FEED 145 mm black white	LINK-POWER/BL LINK-POWER/WH
	STRAIGHT CONNECTOR 142 mm black white	LINK-S-CONNECTOR/BL LINK-S-CONNECTOR/WH
	L CONNECTOR 349 mm black white 	LINK-L-CONNECTOR/BL LINK-L-CONNECTOR/WH

ĽK ∑





ACCESSORY	SPECIFICATION ORDER	PRODUCT ORDER CODES
	T CONNECTOR 122.35 mm X 225.4 mm black white	LINK-T-CONNECTOR/BL LINK-T-CONNECTOR/WH
	RECESSED recessed mounting kit	LINK-RECESSED/BL
	SUSPENDED suspension kit stainless steel wire rope black white available with transparent electrical wire	LINK-SUSPENSION/BL LINK-SUSPENSION/WH LINK-SUSPENSION/WIRE/BL LINK-SUSPENSION/WIRE/WH
	PLATE linear track connection plate black	LINK-PLATE/BL
	L CONNECTION PLATE cross connection plate 50.5 mm x 50.5 mm x 22.5 mm 	LINK/ H27 -L-CPALTE/BL LINK/ H27 -L-CPALTE/WH LINK/ H54 -L-CPALTE/BL LINK/ H54 -L-CPALTE/WH





ACCESSORY	SPECIFICATION ORDER	PRODUCT ORDER CODES
	T CONNECTION PLATE t connection plate 74 mm x 50.5 mm x 22.5 mm 74 74 74 74 74 74 74 74 74 74	LINK/ H27 -T-CPALTE/BL LINK/ H27 -T-CPALTE/WH LINK/ H54 -T-CPALTE/BL LINK/ H54 -T-CPALTE/WH
	CROSS CONNECTION PLATE track cross connection plate 74 mm x 74 mm x 22.5 mm	7

