



















# EM-SIGN 2 – EMERGENCY LUMINARE

The EM-SIGN 2 is a range of high-quality LED exit sign luminaires that are ideal for contemporary architectural environments and integration into existing installations.

There are two different sizes available for a 25m and 30m viewing distance. The legend plate clips directly into the module base offering simple installation. A complete set of EC and ISO legend panels are supplied with each luminaire.


#### **FEATURES**


- Surface/wall, suspended or recessed mounted.
- Suspended panel can be set at different heights by connecting the wires through the locking clutch. The power supply to the LEDs is fed directly through the suspension wires.
- Non-maintained or maintained emergency operation.
- DALI/Self-Test options include an integral DALI self-test gear or standard DALI operation which is fully interoperable when connected to an existing DALI control system.
- IP40 ingress protection as standard.
- The framed panel has a specially screen printed finish to ensure uniform illumination of the safety sign legend.




# SPECIFICATION DIMENSIONS

Colour Temperature CCT	4500K		
Power - Maintained	4W		
Power – Non-maintained	3.1W		
Light Source	LEDs		
View Distance	25m   30m		
Battery	6.4V 600mAh - Standard 3.2V 3.2Ah - DALI		
Charge Power	0.7W		
Emergency	3 Hours		
Finish	White   Black		
Dimensions	See Dimensional Drawings		
Exit Sign Legend Panels	Complete set supplied		
Operating Voltage	220/240V 50/60HZ		
Material	Polycarbonate/Aluminium		
Installation	Recessed   Surface/Wall   Suspended		
Ingress Protection	IP40		
Lifetime	54,000hrs L70		
Weight	2.5 kg		
Operating Temperature	-0°C~45°C		
Conformity	No UV or IR Emissions, UKCA, Class II, RoHS		
Warranty	5 Years		







### **OPTIONS**

Recessed/black



Surface/Wall/black



Suspended/black





# PRODUCT ORDER CODE

# EXAMPLE: EM-SIGN-2-SP445BSES

PREFIX	INSTALLATION	POWER	сст	FINISH	EMERGENCY	DIMENSIONS
EM-SIGN 2 –	R	4	45	w	SE	S
	recessed	4W	4500K	white	standard emergency	small size
						25m viewing distance
	S			В	DE	
	Surface/wall			black	DALI emergency	
					,	L
	SP				M	large size
	suspended				maintained	35m viewing distance
	wire					
					NM	
					non-maintained	