

















# EM\_SIGN 6 EMERGENCY LUMINARE

EM-SIGN 6 is our range of high-quality LED exit sign luminaires, ideal for contemporary architectural environments and integration into existing installations.

Its versatile mounting options allow for placement above the door or on the side of high-feature doors while maintaining compliance with statutory mounting heights. With rear or top cable entry options, surface conduit requirements are easily met, and the product's geometry facilitates concealed cable entry, particularly in stairwell mounting situations.

The flame-retardant clear acrylic plate features a double or single-sided legend, delivering up to a 26m viewing distance and ensuring uniform illumination.


#### **FEATURES**


- Wall mounted or recessed
- 26m viewing distance
- Available in a range of colour finishes including brass and chrome effects
- Double and single-sided legend panels
- IP20 ingress protection
- IK09 Impact rating



## SPECIFICATION DIMENSIONS

Colour Temperature CCT	5000K		
Power - Maintained	1W		
View Distance	26 m		
Emergency	3 Hours		
Finish	Polished Brass   Polished Chrome   Antique Brass   Grey   White   Black   Satin Chrome   Penny Bronze		
Dimensions – Ceiling/Surface	L 250 mm x H 250 mm		
Dimensions – Recessed	L 250 mm x H 260 mm		
Exit Sign Legend Panels	Up   Down   Right   Left		
Exit Sign	Single-sided   Double		
Operating Voltage	220/240V 50/60HZ		
Material - Housing	Aluminium		
Material - Panel	Clear Acrylic		
Cable	20mm cable entry on rear of main bracket		
Installation	Wall   Recessed		
Ingress Protection	IP20		
Impact Rating	IK09		
Weight	1.5 kg		
Operating Temperature	-0°C~45°C		
Conformity	No UV or IR Emissions, UKCA, Class I, RoHS,		
Warranty	6 Years		





### **OPTIONS**























### PRODUCT ORDER CODE

### EXAMPLE: EMSIGN6-W15BRSEAD

PREFIX	INSTALLATION	POWER	ССТ	FINISH	EMERGENCY	PANELS
EMSIGN6 - W wall  R recessed		1	5	W	SE	AU
	wali	1W	5000K	white	standard emergency	arrow up
	R			В	DE	AD
	recessed			Black	DALI emergency	arrow down
				G	M	AL
				grey	maintained	arrow left
				BR	NM	AR
				polished brass	non-maintained	arrow right
				АВ		*please specific
				antique brass		single-sided or doubl when ordering.
				PB		
				penny brass		
				c		
				polished chrome		
				sc		
				satin chrome		