


DALI – 3 CIRCUIT TRACK SYSTEM - CONNECTORS

PRODUCT

DIMENSIONS/SPECIFICATION

PRODUCT CODE

CONNECTOR LEFT DALI



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit

PC UL94V0 + Copper + Steel
 61 grams
 10 / 120 pcs
 230V / 16A


COLOURS

OPTIONS
 Dimmable

Black RAL 9011
 White RAL 9010
 Grey RAL 7040

DT-CL-B
DT-CL-W
DT-CL-G

CONNECTOR RIGHT DALI



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit

PC UL94V0 + Copper + Steel
 61 grams
 10 / 120 pcs
 230V / 16A


COLOURS

OPTIONS
 Dimmable

Black RAL 9011
 White RAL 9010
 Grey RAL 7040

DT-CR-B
DT-CR-W
DT-CR-G

COUPLER DALI



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit

PC UL94V0 + Copper + Steel
 40 grams
 10 / 120 pcs
 230V / 16A


COLOURS

OPTIONS
 Dimmable

Black RAL 9011
 White RAL 9010
 Grey RAL 7040

DT-CP-B
DT-CP-W
DT-CP-G

COUPLER (INSULATION)



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit

PC UL94V0 + Steel
 22 grams
 8 / 160 pcs
 N/A


COLOURS

OPTIONS
 Dimmable

Black RAL 9011
 White RAL 9010
 Grey RAL 7040

ST-CPI-B
ST-CPI-W
ST-CPI-G

END CAP



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit

PC UL94V0 + Steel
 9 grams
 15 / 300 pcs
 N/A

COLOURS

Black RAL 9011
 White RAL 9010
 Grey RAL 7040

ST-EC-B
ST-EC-W
ST-EC-G


DALI – 3 CIRCUIT TRACK SYSTEM - CONNECTORS

PRODUCT

DIMENSIONS/SPECIFICATION

PRODUCT CODE

MIDDLE DALI CONNECTOR



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 129 grams
 10 / 120 pcs
 230V / 16A

COLOURS



Black RAL 9011

DT-MC-B

White RAL 9010

DT-MC-W

Grey RAL 7040


DT-MC-G

OPTIONS

Dimmable



L CONNECTOR DALI LEFT



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 125 grams
 12 / 60 pcs
 230V / 16A

COLOURS



Black RAL 9011

DT-LCL-B

White RAL 9010

DT-LCL-W

Grey RAL 7040


DT-LCL-G

OPTIONS

Dimmable



L CONNECTOR DALI RIGHT



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 125 grams
 12 / 60 pcs
 230V / 16A

COLOURS



Black RAL 9011

DT-LCR-B

White RAL 9010

DT-LCR-W

Grey RAL 7040


DT-LCR-G

OPTIONS

Dimmable



T CONNECTOR DALI LEFT 1



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 132 grams
 9 / 54 pcs
 230V / 16A

COLOURS



Black RAL 9011

DT-TPL1-B

White RAL 9010

DT-TPL1-W

Grey RAL 7040


DT-TPL1-G

OPTIONS

Dimmable



T CONNECTOR DALI LEFT 2



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 192 grams
 9 / 54 pcs
 230V / 16A

COLOURS



Black RAL 9011

DT-TPL2-B

White RAL 9010

DT-TPL2-W

Grey RAL 7040

DT-TPL2-G

OPTIONS

Dimmable




DALI – 3 CIRCUIT TRACK SYSTEM - CONNECTORS

PRODUCT

DIMENSIONS/SPECIFICATION

PRODUCT CODE

T CONNECTOR DALI RIGHT 1



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 192 grams
 9 / 54 pcs
 230V / 16A

COLOURS



Black RAL 9011

DT-TCR1-B

White RAL 9010

DT-TCR1-W

Grey RAL 7040


DT-TCR1-G

OPTIONS

Dimmable



T CONNECTOR DALI RIGHT 2



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 192 grams
 9 / 54 pcs
 230V / 16A

COLOURS



Black RAL 9011

DT-TCR2-B

White RAL 9010

DT-TCR2-W

Grey RAL 7040


DT-TCR2-G

OPTIONS

Dimmable



TWISTED L CONNECTOR



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 125 grams
 12 / 60 pcs
 230V / 16A

COLOURS



Black RAL 9011

DT-TLC-B

White RAL 9010

DT-TLC-W

Grey RAL 7040


DT-TLC-G

OPTIONS

Dimmable



TWISTED T CONNECTOR LEFT



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 192 grams
 9 / 54 pcs
 230V / 16A

COLOURS



Black RAL 9011

DT-TTCL-B

White RAL 9010

DT-TTCL-W

Grey RAL 7040


DT-TTCL-G

OPTIONS

Dimmable



TWISTED T CONNECTOR RIGHT



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 192 grams
 9 / 54 pcs
 230V / 16A

COLOURS



Black RAL 9011

DT-TTCR-B

White RAL 9010

DT-TTCR-W

Grey RAL 7040

DT-TTCR-G

OPTIONS

Dimmable




DALI – 3 CIRCUIT TRACK SYSTEM - CONNECTORS

PRODUCT

DIMENSIONS/SPECIFICATION

PRODUCT CODE

FLEXIBLE DALI CONNECTOR



Main materials

Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
177 grams
12 / 60 pcs
230V / 16A

COLOURS



OPTIONS

Dimmable



Black RAL 9011

DT-FC-B


White RAL 9010

DT-FC-W

Grey RAL 7040

DT-FC-G

ADJUSTABLE DALI CONNECTOR



Main materials

Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
145 grams
15 / 90 pcs
230V / 16A

COLOURS



OPTIONS

Dimmable



Black RAL 9011

DT-AC-B


White RAL 9010

DT-AC-W

Grey RAL 7040

DT-AC-G

X DALI CONNECTOR



Main materials

Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
265 grams
2 / 24 pcs
230V / 16A

COLOURS



OPTIONS

Dimmable



Black RAL 9011

DT-XC-B


White RAL 9010

DT-XC-W

Grey RAL 7040

DT-XC-G

RECESSED END CAP



Main materials

Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
11 grams
24 / 288 pcs
N/A

COLOURS



Black RAL 9011

ST-REC-B


White RAL 9010

ST-REC-W

Grey RAL 7040

ST-REC-G

RECESSED DALI CONNECTOR COVER



Main materials

Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0
18 grams
18 / 108 pcs
N/A

COLOURS



Black RAL 9011

DT-FC-B

White RAL 9010

DT-FC-W

Grey RAL 7040

DT-FC-G

