



STANDARD – TRACK

Our high-quality 3-circuit track system is designed for the professional lighting market and is highly compatible with track lights that use 3-circuit adapters from most major brands.

The track can be easily shortened and is immediately ready to install without the need to adjust wires. The easy-click mounting features make the track quick and simple to install.

A comprehensive range of innovative accessories is available, providing maximum freedom to create unique track systems. The twisted L and T connectors enable a quick and easy installation with fewer components. The same accessories can be used for both surface-mounted and recessed 3-circuit tracks.


FEATURES

- 3-circuit track
- Surface mounted
- Standard lengths
- Black, white or grey finish
- Dedicated connectors
- Quick and easy installation
- IP20 ingress protection
- 5 year warranty



SPECIFICATION

Track	Standard
Controls	Fixed Output Triac
Finish	White RAL9010 Black RAL9011 Grey RAL7040
Dimensions	W 35.2 mm x H 35.5 mm
Standard Lengths	1000 mm 2000 mm 3000 mm
Operating Voltage	230V/16A
Material	Aluminium/copper
Installation	Surface mounted
Ingress Protection	IP20
Weight	0.8 kg per meter
Operating Temperature	-25°C~50°C
Conformity	UKCA, RoHS
Warranty	5 Years

DIMENSIONS



CONNECTING DIAGRAM



MECHANICAL LOAD DIAGRAM



FINISH OPTIONS

COLOURS



PRODUCT ORDER CODE

EXAMPLE: ST-B1000

PREFIX	FINISH	LENGTH
ST-	W white RAL 9010	1000 1000 mm
	B black RAL 9011	2000 2000 mm
	G grey RAL 7040	3000 3000 mm


STANDARD – 3 CIRCUIT TRACK SYSTEM - CONNECTORS

PRODUCT

DIMENSIONS/SPECIFICATION

PRODUCT CODE

CONNECTOR LEFT



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 61 grams
 12 / 44 pcs
 230V / 16A

COLOURS



Black RAL 9011

ST-CL-B

White RAL 9010

ST-CL-W

Grey RAL 7040


ST-CL-G

OPTIONS

Dimmable



CONNECTOR RIGHT



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 61 grams
 12 / 44 pcs
 230V / 16A

COLOURS



Black RAL 9011

ST-CR-B

White RAL 9010

ST-CR-W

Grey RAL 7040


ST-CR-G

OPTIONS

Dimmable



COUPLER



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 27 grams
 10 / 200 pcs
 230V / 16A

COLOURS



Black RAL 9011

ST-CP-B

White RAL 9010

ST-CP-W

Grey RAL 7040


ST-CP-G

OPTIONS

Dimmable



COUPLER (INSULATION)



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Steel
 22 grams
 8 / 160 pcs
 N/A

COLOURS



Black RAL 9011

ST-CPI-B

White RAL 9010

ST-CPI-W

Grey RAL 7040


ST-CPI-G

OPTIONS

Dimmable



END CAP



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Steel
 9 grams
 15 / 300 pcs
 N/A

COLOURS



Black RAL 9011

ST-EC-B

White RAL 9010

ST-EC-W

Grey RAL 7040

ST-EC-G


STANDARD – 3 CIRCUIT TRACK SYSTEM - CONNECTORS

PRODUCT

DIMENSIONS/SPECIFICATION

PRODUCT CODE

MIDDLE CONNECTOR



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 113 grams
 10 / 120 pcs
 230V / 16A

COLOURS



Black RAL 9011

ST-MC-B

White RAL 9010

ST-MC-W

Grey RAL 7040


ST-MC-G

OPTIONS

Dimmable



L CONNECTOR LEFT



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 112 grams
 18 / 108 pcs
 230V / 16A

COLOURS



Black RAL 9011

ST-LCL-B

White RAL 9010

ST-LCL-W

Grey RAL 7040


ST-LCL-G

OPTIONS

Dimmable



L CONNECTOR RIGHT



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 112 grams
 18 / 108 pcs
 230V / 16A

COLOURS



Black RAL 9011

ST-LCR-B

White RAL 9010

ST-LCR-W

Grey RAL 7040


ST-LCR-G

OPTIONS

Dimmable



T CONNECTOR LEFT 1



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 172 grams
 12 / 72 pcs
 230V / 16A

COLOURS



Black RAL 9011

ST-TPL1-B

White RAL 9010

ST-TPL1-W

Grey RAL 7040


ST-TPL1-G

OPTIONS

Dimmable



T CONNECTOR LEFT 2



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
 172 grams
 12 / 72 pcs
 230V / 16A

COLOURS



Black RAL 9011

ST-TPL2-B

White RAL 9010

ST-TPL2-W

Grey RAL 7040

ST-TPL2-G

OPTIONS

Dimmable




STANDARD – 3 CIRCUIT TRACK SYSTEM - CONNECTORS

PRODUCT

DIMENSIONS/SPECIFICATION

PRODUCT CODE

T CONNECTOR RIGHT 1



Main materials

Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
172 grams
12 / 72 pcs
230V / 16A

COLOURS



Black RAL 9011

ST-TCR1-B

White RAL 9010

ST-TCR1-W

Grey RAL 7040


ST-TCR1-G

OPTIONS

Dimmable



T CONNECTOR RIGHT 2



Main materials

Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
172 grams
12 / 72 pcs
230V / 16A

COLOURS



Black RAL 9011

ST-TCR2-B

White RAL 9010

ST-TCR2-W

Grey RAL 7040


ST-TCR2-G

OPTIONS

Dimmable



TWISTED L CONNECTOR



Main materials

Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
125 grams
18 / 108 pcs
230V / 16A

COLOURS



Black RAL 9011

ST-TLC-B

White RAL 9010

ST-TLC-W

Grey RAL 7040


ST-TLC-G

OPTIONS

Dimmable



TWISTED T CONNECTOR LEFT



Main materials

Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
185 grams
12 / 72 pcs
230V / 16A

COLOURS



Black RAL 9011

ST-TTCL-B

White RAL 9010


ST-TTCL-W

Grey RAL 7040


ST-TTCL-G

OPTIONS

Dimmable



TWISTED T CONNECTOR RIGHT



Main materials

Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper + Steel
185 grams
12 / 72 pcs
230V / 16A

COLOURS



Black RAL 9011

ST-TTCR-B

White RAL 9010


ST-TTCR-W

Grey RAL 7040

ST-TTCR-G

OPTIONS

Dimmable




STANDARD – 3 CIRCUIT TRACK SYSTEM - CONNECTORS

PRODUCT

DIMENSIONS/SPECIFICATION

PRODUCT CODE

FLEXIBLE CONNECTOR



Main materials

Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper +
Steel
160 grams
14 / 70 pcs
230V / 16A

COLOURS



OPTIONS

Dimmable



Black RAL 9011

ST-FC-B


White RAL 9010

ST-FC-W

Grey RAL 7040

ST-FC-G

ADJUSTABLE CONNECTOR



Main materials

Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper +
Steel
145 grams
15 / 90 pcs
230V / 16A

COLOURS



OPTIONS

Dimmable



Black RAL 9011

ST-AC-B


White RAL 9010

ST-AC-W

Grey RAL 7040

ST-AC-G

X CONNECTOR



Main materials

Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0 + Copper +
Steel
230 grams
5 / 60 pcs
230V / 16A

COLOURS



OPTIONS

Dimmable



Black RAL 9011

ST-XC-B

White RAL 9010

ST-XC-W

Grey RAL 7040

ST-XC-G


STANDARD – 3 CIRCUIT TRACK SYSTEM – ACCESSORIES

PRODUCT

DIMENSIONS/SPECIFICATION

PRODUCT CODE

REINFORCEMENT PLATE WITH 5M WIRE



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



Steel
16 grams
4 / 48 pcs
N/A

COLOURS



Black RAL 9011

ST-RPW-B

White RAL 9010

ST-RPW-W

Grey RAL 7040

ST-RPW-G

MOUNTING CLAMP



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



Steel
17 grams
30 / 600 pcs
N/A

COLOURS



Black RAL 9011

ST-MC-B

White RAL 9010

ST-MC-W

Grey RAL 7040

ST-MC-G

SUSPENSION HOOK



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



Steel
5 grams
20 / 400 pcs
N/A

COLOURS



Black RAL 9011

ST-SH-B


White RAL 9010

ST-SH-W

Grey RAL 7040

ST-SH-G

FIXED MONOPOINT FOR TRACK ADAPTER



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit
Max pull strength



PC UL94V0 + Copper
106 grams
1 / 50 pcs
230V / 10A
50N

COLOURS



Black RAL 9011

ST-FM-B


White RAL 9010

ST-FM-W

Grey RAL 7040

ST-FM-G

TRACK COVER STRIP 3M



Main materials
Net weight per piece
Inner box / outer box
Rated voltage per circuit



PC UL94V0
200 grams
1 / 150 pcs
N/A

COLOURS



Black RAL 9011

ST-TC3-B

White RAL 9010

ST-TC3-W

Grey RAL 7040

ST-TC3-G