

EOS CIRCULAR

www.impactlightingsolutions.com



MINIMALISM + HIGH VISUAL COMFORT

The EOS is the luminaire that transforms your office into a comfortable and stylish environment. Emitting direct/indirect light both upwards to the ceiling and downwards to the workspace, providing glare-free illumination for maximum visual comfort. Ideal for conference rooms, open offices, lobbies, and any space where you want to make a lasting impression.

With its slim frame surrounding a transparent panel, this fixture integrates into the room's architecture without overwhelming it, adding a subtle touch of elegance. When switched on, it creates the effect of soft, uniform light floating in mid-air, with adjustable lighting intensity via DALI for a tailored experience.





FEATURES

- 2700K | 3000K | 4000K
- CRI80 | CRI90
- UGR>19
- Fixed output | DALI
- Transparent prismatic PMMA
- Direct/indirect
- 3500-6500 Lm
- McAdam Step < 3
- Ø470 | 560 | 650 | 740 | 825 | 1000 mm
- Depth 23 mm
- Standard suspension kit 1.5m
- Standard power cable 2m
- Aluminium structure
- L80B20 @ 100,000 hrs Ta=25 °C
- 5 year warranty
- Rosette included
- IP20
- IK02



FINISH

- White RAL9016 fine texture
- Black RAL9005 fine texture

OPTIONS

- Casambi controls

LIGHT DISTRIBUTION



PRODUCT ORDER CODE

CODE	POWER	CCT	DIRECT	INDIRECT	FINISH	WEIGHT	DIMENSION
EOSC-3-B-470	39W	3000K	1651 lm	1983 lm	Black	5.1 kg	Ø 470 mm
EOSC-3-B-560	48W	3000K	1980 lm	2379 lm	Black	5.6 kg	Ø 560 mm
EOSC-3-B-650	55W	3000K	2311 lm	2777 lm	Black	5.6 kg	Ø 650 mm
EOSC-3-B-740	62W	3000K	2642lm	3173 lm	Black	6.7 kg	Ø 740 mm
EOSC-3-B-825	70W	3000K	2972 lm	3570 lm	Black	7.3 kg	Ø 825 mm
EOSC-3-B-1000	70W	3000K	2833 lm	3404 lm	Black	9.3 kg	Ø 1000 mm

OPTIONS

CODE	DESCRIPTION
W	White RAL9016 fine texture
27	2700K warm white
4	4000K natural white
5	5000K cool white
D	DALI dimming controls
C	Casambi controls





IMPACT LIGHTING SOLUTIONS

 www.impactlightingsolutions.com

 01865 989 830

 sales@impactls.com